

## Multi-Sensor-Platform

## MSP 769



The sensor platform is designed for the mounting of heated sensors. Using heat and temperature resistance, the sensor can, with appropriate control, be kept at a constant temperature or a temperature cycle can be operated. The MSP 769 combines a heater and a temperature sensor in platinum thin film on a ceramic substrate covered with an insulating glass layer. A gold electrode in thick film is deposited on the glass layer, onto which a measuring component can be bonded or applied in thick or thin film technology. The size of the electrode enables the application of the most varied sensitive layers or the mounting of Si-Chips. Bands with lengths of up to 170 millimetres are used as leads. The band design offers a stability that cannot be achieved with a conventional round cross-sectioned wire.

### Application


Typical areas of application for the sensor platform are any type of gas sensors and physical sensors such as humidity and air quality sensors.

### Technical data

<b>Design</b>	Multi-layer structure with a platinum thin-film structure as temperature sensor and heater on a ceramic substrate, covered with <ul style="list-style-type: none"> <li>- an insulating glass layer (thick film);</li> <li>- thereon a gold electrode in monoplane form (thick film);</li> <li>- two terminal electrodes (other forms of electrodes on request)</li> </ul>
<b>Leads</b>	6 Ni bands, gold-plated Width: 0.4 mm ± 0.05 mm; thickness: 0.20 mm ± 0.02 mm
<b>Temperature range</b>	-50°C to +450°C
<b>Nominal resistance, tolerance and characteristic values</b>	<p><b>Temperature sensor:</b> 1000 Ω at 0°C, measuring values and characteristic curve according to DIN EN 60 751, tolerance 0.25%, measuring current 1 mA</p> <p><b>Heater:</b> 25 ± 2.5 Ω at 0°C, characteristic curve according to DIN EN 60 751, heater rating max. 3 W in air</p>
<b>Stability</b>	Passed 1000 h test at T=450°C (sensor flow I = 1 mA)
<b>Note</b>	Other tolerances, values of resistance and wire lengths are available on request.
<b>Status</b>	<b>objective</b>



### Circuit diagram



separate connection for heater & sensor  
Part Number 32208261

We reserve the right to make alterations and technical data printed. All technical data serves as a guideline and does not guarantee particular properties to any products.

## Heraeus Sensor Technology USA

1901 Route 130  
North Brunswick, NJ 08902  
Phone 732-940-4400 Fax 732-940-4445  
Email info.hst-us@heraeus.com  
www.hst-us.com